PHOENIX, AZ 80055

ROAD MACHINERY LLC - SHELDON LOFGREEN SHELDON LOFGREEN

KOWA

STATUS WAS

Normal

ON

28-Feb-12

ISO 9001 REGISTERED 3401 Jack Northrop Ave. Hawthome, CA 90250 PH: (310)219-5000 FAX: (310)219-5005 (800)424-0099

MODEL SERIAL #: A92021 - WA500-6 COMPONENT: ENGINE

COMP. REF. NO.: 10140487 P.O./REF NO.: PO REQ'D F


WORKSITE	MODEL MANUFACTURER	OIL TYPE
	KOMATSU WA500-6	•
COMPONENT TYPE	COMPONENT MANUFACTURER AND MODEL	COMPONENT SERIAL NUMBER
DIESEL ENGINE	KOMATSU S6D140E-5	A92021

MAINTENANCE RECOMMENDATIONS FOR LAB NO.

4325 Reported On 2012-03-01 From: ROAD MACHINERY LLC, GILBERT, AZ



ANALYSIS INDICATES COMPONENT & LUBRICANT CONDITIONS ARE ACCEPTABLE. RESAMPLE at the next scheduled Interval. PLEASE ADVISE specific oil being used (trade name & viscosity grade). PLEASE PROVIDE the time since new or overhauled.



	SAMPL	E INFOR	RMATIC)N		PHYSICAL TEST RESUL									
LAB NO.	Mi/HR	Mi/HR	Oil	FLTR	OIL	FUEL	FUEL	OXID	NITR	WTR.	R. VIS CS	SAE.	GLY	WK-ORDER	
LAB NO.	Unit	Oil	Add	CHG	CHG	%VOL	SOOT	A/CM	A/CM	%VOL	100'C	GRADE	TEST	NUMBER	
4325		8920		n	n	<1.0	0.3	16	6	<.10	14.2	40	NEG	16757-1	

UNDERLINED RESULTS INDICATE SIGNIFICANT VALUES BASED ON KOWA GUIDELINES SINGLE UNDERLINES INDICATE "MONITOR" OR "CAUTION" LEVELS DOUBLE UNDERLINES INDICATES CRITICAL LEVELS

FOR LEGEND AND EXPLANATION OF KOWA TESTS PLEASE CLICK ON THE "LEGEND" TAB AT THE TOP OF ANY KOWA ONLINE WEB PAGE KOWA SAMPLE ANALYSIS IS PERFORMED BY AN INDEPENDENT LABORATORY

FOR LEGEND AND EXPLANATION OF ADDITIONAL TESTS PLEASE CLICK ON THE "GLOSSARY" TAB AT THE TOP OF ANY KOWA ONLINE WEB PAGE NOTE "L'after SAMPLE DRAWN indicates date was NOT provided, displayed date is process date

N/R * TEST NOT PERFORMED

COPYRIGHT @ 1990 ANALYSTS, INC.

Form No. 6024B 9/00

ROAD MACHINERY LLC - SHELDON LOFGREEN SHELDON LOFGREEN

KOWA

STATUS WAS

Normal

ON

28-Feb-12

PHOENIX, AZ 80055

ISO 9001 REGISTERED
3401 Jack Northrop Ave.

Hawthome, CA 90250
PH: (310)219-5000 FAX: (310)219-5005
(800)424-0099

MODEL SERIAL #: A92021 - WA500-6 COMPONENT: TRANSMISSION COMP. REF. NO.: 10140489

P.O./REF NO.: PO REQ'D F


WORKSITE	MODEL MANUFACTURER	OIL TYPE
	KOMATSU WA500-6	-
COMPONENT TYPE	COMPONENT MANUFACTURER AND MODEL	COMPONENT SERIAL NUMBER
TRANSMISSION	KOMATSU WA500-6	A92021

MAINTENANCE RECOMMENDATIONS FOR LAB NO.

4326 Reported On 2012-03-01 From: ROAD MACHINERY LLC, GILBERT, AZ



ANALYSIS INDICATES COMPONENT & LUBRICANT CONDITIONS ARE ACCEPTABLE. RESAMPLE at the next scheduled Interval. PLEASE ADVISE specific oil being used (trade name & viscosity grade). PLEASE PROVIDE the time since last oil change.



	SAMPL	E INFÓR	MATIO	N						PHYSICAL T	EST RES	ULTS	
LAB NO.	Mi/HR Unit	Mi/HR Oil	Oil Add	FLTR CHG		WATER % VOL	VIS CS 100°C	WK-ORDER NUMBER					3
4326	8920			n	n	<.10	10.8	16757-1					

UNDERLINED RESULTS INDICATE SIGNIFICANT VALUES BASED ON KOWA GUIDELINES SINGLE UNDERLINES INDICATE "MONITOR" OR "CAUTION" LEVELS DOUBLE UNDERLINES INDICATES CRITICAL LEVELS

FOR LEGEND AND EXPLANATION OF KOWA TESTS PLEASE CLICK ON THE "LEGEND" TAB AT THE TOP OF ANY KOWA ONLINE WEB PAGE KOWA SAMPLE ANALYSIS IS PERFORMED BY AN INDEPENDENT LABORATORY FOR LEGEND AND EXPLANATION OF ADDITIONAL TESTS PLEASE CLICK ON THE "GLOSSARY" TAB AT THE TOP OF ANY KOWA ONLINE WEB PAGE NOTE "L'after SAMPLE DRAWN indicates data was NOT provided, displayed date as process data."

N/R = TEST NOT PERFORMED

COPYRIGHT @ 1990 ANALYSTS INC.

COPYRIGHT @ 1990 ANALYSTS, INC. F

Form No. 6024B 9/00

PHOENIX, AZ 80055

ROAD MACHINERY LLC - SHELDON LOFGREEN SHELDON LOFGREEN



STATUS WAS

ON

28-Feb-12

ISO 9001 REGISTERED 3401 Jack Northrop Ave. Hawthome, CA 90250 PH: (310)219-5000 FAX: (310)219-5005 (800)424-0099

MODEL SERIAL #: A92021 - WA500-6 COMPONENT: HYDRAULIC COMP. REF. NO.: 10140490


P.O./REF NO.: PO REQ'D F

WORKSITE	MODEL MANUFACTURER	OIL TYPE
	KOMATSU WA500-6	-
COMPONENT TYPE	COMPONENT MANUFACTURER AND MODEL	COMPONENT SERIAL NUMBER
HYDRAULIC SYSTEM	KOMATSU WA500-6	A92021

MAINTENANCE RECOMMENDATIONS FOR LAB NO. 4327 Reported On 2012-03-01 From: ROAD MACHINERY LLC, GILBERT, AZ



ANALYSIS INDICATES COMPONENT & LUBRICANT CONDITIONS ARE ACCEPTABLE. If still in service, the oil is suitable for continued use. RESAMPLE at the next scheduled interval. PLEASE ADVISE specific oil being used (trade name & viscosity grade). PLEASE PROVIDE the time since last oil change.



SAMPLE INFORMATION												PI	HYSICAL "	TEST RESL	ILTS				
I	LADAIO	Mi/HR	MVHR	Oil	FLTR	OIL	WATER	VIS CS	TAN		. PARTICLE COUNT (PER 100 ML)						1	WK-ORDER	
ı	LAB NO.	Unit	Oil	Add	CHG	CHG	PPM	100'C		2-5u	5-15u	>15-25u	>25-50u	>50-100u	>100u	ISO Code	Class	JAR TYPE	NUMBER
1	4327	8920			n	n	886	6.9	1.40	5316110	871253	1457	640	90	20	23/20/12	12	PC-JAR	16757-1

UNDERLINED RESULTS INDICATE SIGNIFICANT VALUES BASED ON KOWA GUIDELINES SINGLE UNDERLINES INDICATE "MONITOR" OR "CAUTION" LEVELS DOUBLE UNDERLINES INDICATES CRITICAL LEVELS

FOR LEGEND AND EXPLANATION OF KOWA TESTS PLEASE CLICK ON THE "LEGEND" TAB AT THE TOP OF ANY KOWA ONLINE WEB PAGE KOWA SAMPLE ANALYSIS IS PERFORMED BY AN INDEPENDENT LABORATORY

FOR LEGEND AND EXPLANATION OF ADDITIONAL TESTS PLEASE CLICK ON THE "GLOSSARY" TAB AT THE TOP OF ANY KOWA ONLINE WEB PAGE.

NOTE, "L" after SAMPLE DRAWN indicates data was NOT provided, displayed data to process data

N/R = TEST NOT PERFORMED

COPYRIGHT @ 1990 ANALYSTS, INC.

Form No. 6024B 9/00